

JOSTO ITALY


TUBULAR MOTORS




*Passione artigianale,
Stile Italiano.*



2022



STANDARD MOTOR Ø45MM



Code	K08/17N	K015/17N	K030/17N	K040/12N	K050/12N
Electrical data					
Power supply (Vac/Hz)	230/50	230/50	230/50	230/50	230/50
Nominal Current (A)	0,55	0,75	1,10	1,10	1,10
Power (W)	120	170	250	245	250
Performance data					
Rated Torque (Nw)	8	15	30	40	50
Output speed (rpm)	17	17	17	12	12
Weight lifted* (kg)	15	28	56	75	95
Turns	27	27	27	27	27
Running time (min)	4	4	4	4	4
Dimensional data					
Total length (mm)	426	451	486	486	486
Net weight (kg)	1,85	2,15	2,45	2,45	2,45
Packaging dimension (mm)	90x90x465	90x90x500	90x90x530	90x90x530	90x90x530

*estimated value with the use of octagonal roller Ø 60 diameter
Protection index IP44



Cable lenght 2,5 mt
Four wire motor



Code	Description	Packaging	Certifications
K08/17N	8 Nm, 17 rpm, 15 kg*	1	CE
K015/17N	15 Nm, 17 rpm, 28 kg*	1	CE
K030/17N	30 Nm, 17 rpm, 56 kg*	1	CE
K040/12N	40 Nm, 12 rpm, 75 kg*	1	CE
K050/12N	50 Nm, 12 rpm, 95 kg*	1	CE

*indicative value with tube Ø60

ELECTRONIC LIMIT SWITCH+ BUILD-IN RECEIVER MOTOR Ø45MM



Code	K08/17NFE	K015/17NFE	K030/17NFE	K040/12NFE	K050/12NFE
Electrical data					
Power supply (Vac/Hz)	230/50	230/50	230/50	230/50	230/50
Nominal Current(A)	0,55	0,75	1,10	1,10	1,10
Power (W)	120	170	250	245	250
Performance data					
Rated Torque	8	15	30	40	50
Output speed (rpm)	17	17	17	12	12
Turns	>100	>100	>100	>100	>100
Running time (min)	4	4	4	4	4
Dimensional data					
Total length(mm)	426	451	486	486	486
Net weighth (kg)	2,15	2,45	2,65	2,65	2,65
Packaging dimension (mm)	90x90x465	90x90x500	90x90x530	90x90x530	90x90x530

Protection index IP44

Cable length 2,5 mt
Three wire motor



Code	Description	Packaging	Certifications
K08/17NFE	8 Nm, 17 rpm	1	CE
K015/17NFE	15 Nm, 17 rpm	1	CE
K030/17NFE	30 Nm, 17 rpm	1	CE
K040/12NFE	40 Nm, 12 rpm	1	CE
K050/12NFE	50 Nm, 12 rpm	1	CE

EMITTER



1,3,6 CHANNEL EMITTER

433,92 MHz, Rolling Code with self-learning

	KOT1CN	KOT3CN	KOT6CN
Supply		3 Vdc battery type CR2032	
Radiated power		About 1 mW E.R.P	
Frequency		433.92 MHz (±100 kHz)	
Emitter code		KOTCN	
Operating temperature		-20°C; +55°C	
Range		200 mt on the outside; 35mt inside buildings	
Protection Index		IP 40 (use in the home or in protected environments)	
Dimension(mm)		51x102x16	
Weight (g)		40	


Code	Description	Pcs	Certifications
KOT1CN	1 Channel emitter	1	CE
KOT3CN	3 Channel emitter	1	CE
KOT6CN	6 Channel emitter	1	CE

STANDARD BRAKET




CODE	TECHNICAL DATA	PCS	NOTE
BO.100.1S		200	
BO.100.1F	threaded holes	200	

ROTATIVE BRACKET 100X100



CODE	TECHNICAL DATA	PCS	NOTE
BO.100.7		50	

ADJUSTABLE ROTATIVE BRACKET



CODE	TECHNICAL DATA	PCS	NOTE
BO.100.5	A=67	50	square section
BO.100.6	A=78	50	square section

ADJUSTABLE BRACKET




CODE	TECHNICAL DATA	PCS	NOTE
BO.105		100	

ADJUSTABLE ROTATIVE BRACKET



CODE	TECHNICAL DATA	PCS	NOTE
BO.100.2	QUADRO 10	100	


BRACKET




CODE	TECHNICAL DATA	PCS	NOTE
BO.100.11	54X90mm	50	

CODE	TECHNICAL DATA	PCS	NOTE
BO.100.9	square section 10mm	50	
BO.100.6	square section 16mm	50	

BRACKET 100X100




BRACKET FOR SHUTTER HOUSING




CODE	TECHNICAL DATA	PCS	NOTE
BO.101.4S	square section 10mm	100	

CODE	TECHNICAL DATA	PCS	NOTE
BO.102.5S	square section 10mm	100	

PLATE BRACKET




ADJUSTABLE BRACKET




CODE	TECHNICAL DATA	PCS	NOTE
BO.101.5S	square section 10mm	100	
BO.102.5	square section 16mm	100	

PLATE FOR MOTOR




CODE	TECHNICAL DATA	PCS	NOTE
1106/E		100	

PLATE FOR MOTOR




CODE	TECHNICAL DATA	PCS	NOTE
1104/E		100	

PLATE FOR MOTOR 3 POSITION




CODE	TECHNICAL DATA	PCS	NOTE
1104/E3.N		50	

PLATE FOR MOTOR 3 POSITION FOR "VERCELLI" BRACKET



CODE	TECHNICAL DATA	PCS	NOTE
1104/SM	with screw and nuts	50	


REMOVABLE ROUND PLATE FOR MOTOR



CODE	TECHNICAL DATA	PCS	NOTE
1098/DS	L=28	200	
1098/DS2	L=34	200	

2 POSITION BRACKET

CODE	TECHNICAL DATA	PCS	NOTE
1072/EM	Square section 10 mm	100	



UNIVERSAL BRACKET MOTOR



CODE	TECHNICAL DATA	PCS	NOTE
KO.1800	Square section 10mm	100	

WALL PLATE

CODE	TECHNICAL DATA	PCS	NOTE
1071		100	



ADJUSTABLE BRACKET MAXI



CODE	TECHNICAL DATA	PCS	NOTE
KO100.3L	Square section 16mm	100	
KO100.3ML	Square section 16 mm	100	for manual override

*Passione artigianale,
Stile Italiano.*



JOSTO

K05012NFE



info@jostoitaly.com
www.jostoitaly.com

5 YEAR
WARRANTY